

Amendments

Please amend the claims as follows:

In the Claims

-- 18. A method of determining the presence of one or more target analytes in one or more samples comprising:

- a) contacting said sample with a composition comprising:
- i) a substrate with a surface comprising a plurality of assay locations, each assay location comprising a plurality of discrete sites; and
 - ii) a population of microspheres comprising at least a first and a second subpopulation each comprising a bioactive agent;
- wherein said microspheres are distributed on said surface such that said discrete sites each contain no more than one microsphere; and
- b) determining the presence or absence of said target analyte.

19. A method of determining the presence of one or more target analytes in one or more samples comprising:

- a) adding said sample to a first substrate comprising a plurality of assay locations, such that said sample is contained at a plurality of said assay locations;
- b) contacting said sample with a second substrate comprising:
- i) a surface comprising a plurality of array locations, each array location comprising a plurality of discrete sites, wherein at least one assay location is in fluid contact with at least one array location; and
 - ii) a population of microspheres comprising at least a first and a second subpopulation each comprising a bioactive agent;
- wherein said microspheres are distributed on said surface such that said discrete sites each contain no more than one microsphere; and
- c) determining the presence or absence of said target analyte.

20. A method according to claim 18 wherein each of said assay locations comprises a library

Bub
sub
1
of bioactive agents.

21. A method according to claim 18 wherein said substrate is a microtiter plate and each assay location is a microtiter well.

22. A method according to claim 18 wherein each discrete site is a bead well.

23. A method according to claim 18 wherein each of said subpopulations further comprise an optical signature capable of identifying said bioactive agent.

Bub
sub
1
24. A method according to claim 18 wherein at least a first and second microsphere in said subpopulations further comprise an identifier binding ligand that will bind a decoder binding ligand, whereby said bioactive agent is identified by said identifier binding ligand binding to said decoder binding ligand.

8
25. A method according to claim *18* wherein said first substrate is a microtiter plate.

9
26. A method according to claim *18* or *25* wherein said second substrate comprises a plurality of fiber optic bundles comprising a plurality of individual fibers, each bundle comprising an array location, and each individual fiber comprising a bead well.

10
27. A method according to claim *18* wherein each of said subpopulations further comprise an optical signature capable of identifying said bioactive agent.

11
28. A method according to claim *18* wherein each of said subpopulations further comprise an identifier binding ligand that will bind a decoder binding ligand such that the identification of the bioactive agent can be elucidated.

12
29. A method according to claim *18* or *19* at least one of said target analytes is a nucleic acid.

13
30. A method according to claim *18* or *19*, wherein said microspheres are randomly distributed on said surface.

14/ 31. A method according to claim ~~18~~¹ or ~~19~~², wherein at least a first subpopulation of microspheres comprises a bioactive agent comprising nucleic acids.

15/ 32. A method according to claim ~~18~~¹ or ~~19~~², wherein at least a first subpopulation of microspheres comprises a bioactive agent comprising a protein.

16/ 33. A method according to claim ~~20~~³, wherein at least a first and second of said assay locations comprise the same library of bioactive agents.

17/ 34. A method according to claim ~~20~~³, wherein at least a first and second of said assay locations comprise different libraries of bioactive agents.- -.